




DRUK-TEMPERATUUR TABEL °C IN BAR (NAADLOOS)

TABLE PRESSION-TEMPÉRATURE °C EN BAR (SANS SOUDURE)

Lasfactor x 0,8 voor gelaste buis

Facteur de soudure x 0,8 pour tube soudé



UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
1,59 x 0,53	836	700	996	902	840	790	753	722
3,18 x 0,51	402	337	365	331	308	290	276	265
3,18 x 0,71	560	469	557	504	470	442	421	404
3,18 x 0,89	702	588	763	691	643	605	577	553
4,76 x 0,89	469	393	442	401	373	351	334	320
6,00 x 0,50	209	175	172	156	145	136	130	124
6,00 x 1,00	418	350	383	347	323	304	290	278
6,00 x 1,50	627	525	649	588	548	515	491	471
6,35 x 0,71	280	235	239	216	201	190	181	173
6,35 x 0,89	352	294	311	281	262	247	235	225
6,35 x 1,24	490	410	467	423	394	371	353	339
6,35 x 1,65	652	546	685	621	578	544	518	497
8,00 x 0,50	157	131	125	114	106	100	95	91
8,00 x 1,00	314	263	272	246	229	216	205	197
8,00 x 1,50	470	394	444	402	374	352	335	332
8,00 x 2,00	627	525	649	588	548	515	491	471
8,00 x 2,50	784	656	900	815	759	714	680	652
9,53 x 0,71	187	156	152	138	128	120	115	110
9,53 x 0,89	234	196	195	177	164	155	147	141
9,53 x 1,24	326	273	285	258	240	226	215	206
9,53 x 1,65	434	364	401	364	339	319	304	291
10,00 x 1,00	251	210	210	191	177	167	159	152
10,00 x 1,50	376	315	337	305	284	267	255	244
10,00 x 2,00	502	420	482	437	406	382	364	349
10,00 x 2,50	627	525	649	588	548	515	491	471
10,20 x 2,00	492	412	470	426	396	373	355	340
10,20 x 2,60	639	535	667	605	563	530	505	484
10,29 x 1,24	302	253	260	236	220	207	197	189
10,29 x 1,73	422	353	387	351	327	307	293	281
10,29 x 2,41	587	492	594	538	501	471	449	430
11,00 x 1,00	228	191	189	171	159	150	143	137
11,00 x 1,50	342	286	301	272	254	239	227	218
11,00 x 2,00	456	382	427	387	360	339	323	309
12,00 x 1,00	209	175	172	156	145	136	130	124

UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
12,00 x 1,50	314	263	272	246	229	216	205	197
12,00 x 2,00	418	350	383	347	323	304	290	278
12,00 x 2,50	523	438	508	460	429	403	384	368
12,70 x 0,71	140	117	111	101	94	88	84	81
12,70 x 0,89	176	147	142	129	120	113	107	103
12,70 x 1,24	245	205	205	186	173	163	155	148
12,70 x 1,65	326	273	284	257	240	225	215	206
13,00 x 1,50	289	242	248	224	209	196	187	179
13,50 x 1,60	297	249	255	231	215	203	193	185
13,50 x 2,00	372	311	332	301	280	263	251	241
13,50 x 2,35	437	366	404	366	341	321	306	293
13,72 x 1,65	302	253	260	235	219	206	196	188
13,72 x 2,24	410	343	373	338	315	296	282	271
13,72 x 3,02	552	462	546	495	461	433	413	396
14,00 x 1,00	179	150	145	131	122	115	110	105
14,00 x 1,50	269	225	227	206	192	181	172	165
14,00 x 2,00	358	300	318	288	268	252	240	230
14,00 x 2,50	448	375	417	378	352	331	315	302
14,00 x 3,00	538	450	527	478	445	418	399	382
15,00 x 1,00	167	140	135	122	114	107	102	98
15,00 x 1,50	251	210	210	191	177	167	159	152
15,00 x 2,00	334	280	293	265	247	232	221	212
15,00 x 2,50	418	350	383	347	323	304	290	278
15,88 x 0,89	141	118	112	101	94	89	84	81
15,88 x 1,24	196	164	160	145	135	127	121	116
15,88 x 1,65	261	218	220	199	185	174	166	159
16,00 x 1,00	157	131	125	114	106	100	95	91
16,00 x 1,50	235	197	196	177	165	155	148	142
16,00 x 2,00	314	263	272	246	229	216	205	197
16,00 x 2,50	392	328	354	321	299	281	268	257
17,00 x 1,00	148	124	118	107	99	93	89	85
17,00 x 1,50	221	185	183	166	154	145	138	133
17,15 x 1,65	241	202	201	183	170	160	152	146
17,15 x 2,31	338	283	296	269	250	235	224	215




DRUK-TEMPERATUUR TABEL °C IN BAR (NAADLOOS)

TABLE PRESSION-TEMPÉRATURE °C EN BAR (SANS SOUDURE)

Lasfactor x 0,8 voor gelaste buis

Facteur de soudure x 0,8 pour tube soudé



UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
17,15 x 3,20	468	392	441	400	372	350	333	320
17,20 x 1,60	233	195	194	176	164	154	147	141
17,20 x 2,00	292	244	250	226	211	198	189	181
17,20 x 2,30	335	281	294	266	248	233	222	213
18,00 x 1,00	139	117	111	100	93	88	84	80
18,00 x 1,50	209	175	172	156	145	136	130	124
18,00 x 2,00	279	233	237	215	200	188	179	172
19,00 x 1,50	198	166	162	147	136	128	122	117
19,05 x 0,89	117	98	92	83	78	73	70	67
19,05 x 1,24	163	137	131	119	111	104	99	95
19,05 x 1,65	217	182	179	162	151	142	135	130
19,05 x 2,11	278	233	236	214	199	187	179	171
20,00 x 1,00	125	105	99	90	83	78	75	72
20,00 x 1,50	188	158	153	139	129	121	116	111
20,00 x 2,00	251	210	210	191	177	167	159	152
20,00 x 2,50	314	263	272	246	229	216	205	197
20,00 x 3,00	376	315	337	305	284	267	255	244
20,00 x 4,00	502	420	482	437	406	382	364	349
20,00 x 5,00	627	525	649	588	548	515	491	471
21,30 x 2,00	236	197	196	178	165	156	148	142
21,30 x 2,60	306	256	264	239	223	210	200	191
21,30 x 3,20	377	315	337	306	285	268	255	245
21,34 x 1,65	194	162	158	143	133	125	120	115
21,34 x 2,11	248	208	208	188	175	165	157	151
21,34 x 2,77	326	273	284	257	239	225	215	206
21,34 x 3,73	438	367	406	368	343	322	307	294
21,34 x 4,75	558	467	554	502	468	440	419	402
21,34 x 7,47	878	735	1078	977	909	856	815	781
22,00 x 1,00	114	95	89	81	75	71	68	65
22,00 x 1,50	171	143	138	125	116	109	104	100
22,00 x 2,00	228	191	189	171	159	150	143	137
22,00 x 2,50	285	239	243	220	205	193	184	176
22,00 x 3,00	342	286	301	272	254	239	227	218
22,00 x 4,00	456	382	427	387	360	339	323	309

UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
23,00 x 1,50	164	137	131	119	111	104	99	95
24,00 x 2,00	209	175	172	156	145	136	130	124
24,00 x 7,00	732	613	810	734	684	643	613	587
25,00 x 1,00	100	84	78	71	66	62	59	57
25,00 x 1,50	151	126	120	109	101	95	91	87
25,00 x 2,00	201	168	164	149	138	130	124	119
25,00 x 2,50	251	210	210	191	177	167	159	152
25,00 x 3,00	301	252	259	235	218	206	196	188
25,00 x 5,00	502	420	482	437	406	382	364	349
25,40 x 1,25	123	103	97	88	82	77	74	71
25,40 x 1,65	163	136	131	119	110	104	99	95
25,40 x 2,11	208	174	171	155	144	136	129	124
25,40 x 3,40	336	281	294	267	248	233	222	213
26,67 x 1,65	155	130	124	112	105	99	94	90
26,67 x 2,11	198	166	162	147	137	129	123	118
26,67 x 2,87	270	226	229	207	193	181	173	166
26,67 x 3,91	368	308	328	297	277	260	248	238
26,67 x 5,54	521	436	506	459	427	402	383	367
26,67 x 7,82	735	616	817	740	689	648	618	592
26,90 x 1,60	149	125	119	108	100	94	90	86
26,90 x 2,00	186	156	151	137	128	120	115	110
26,90 x 2,30	214	180	177	160	149	140	134	128
26,90 x 2,60	242	203	202	183	171	161	153	147
26,90 x 3,20	298	250	256	232	216	203	194	186
26,90 x 4,00	373	312	333	302	281	265	252	242
28,00 x 1,00	90	75	69	63	59	55	53	50
28,00 x 1,50	134	113	106	96	90	84	80	77
28,00 x 2,00	179	150	145	131	122	115	110	105
28,00 x 4,00	358	300	318	288	268	252	240	230
28,00 x 5,00	448	375	417	378	352	331	315	302
30,00 x 1,00	84	70	65	59	55	51	49	47
30,00 x 1,50	125	105	99	90	83	78	75	72
30,00 x 2,00	167	140	135	122	114	107	102	98
30,00 x 2,50	209	175	172	156	145	136	130	124




DRUK-TEMPERATUUR TABEL °C IN BAR (NAADLOOS)

TABLE PRESSION-TEMPÉRATURE °C EN BAR (SANS SOUDURE)

Lasfactor x 0,8 voor gelaste buis

Facteur de soudure x 0,8 pour tube soudé



UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
30,00 x 3,00	251	210	210	191	177	167	159	152
30,00 x 4,00	334	280	293	265	247	232	221	212
30,00 x 5,00	418	350	383	347	323	304	290	278
31,75 x 1,65	130	109	103	93	87	82	78	75
31,80 x 1,25	99	83	77	70	65	61	58	56
32,00 x 1,20	94	79	73	66	62	58	55	53
32,00 x 1,50	118	98	92	84	78	73	70	67
32,00 x 2,00	157	131	125	114	106	100	95	91
32,00 x 2,50	196	164	160	145	135	127	121	116
32,00 x 3,50	274	230	233	211	196	185	176	169
33,00 x 1,50	114	95	89	81	75	71	68	65
33,40 x 1,65	124	104	98	88	82	78	74	71
33,40 x 2,77	208	174	171	155	144	136	129	124
33,40 x 3,38	265	213	213	193	180	169	161	155
33,40 x 4,55	342	286	300	272	253	238	227	218
33,40 x 6,35	477	399	451	409	381	358	341	327
33,40 x 9,09	683	572	732	664	618	581	554	531
33,70 x 2,00	149	125	119	108	100	94	90	86
33,70 x 2,60	194	162	158	143	133	125	119	114
33,70 x 3,20	238	199	198	180	167	158	150	144
33,70 x 4,05	301	252	259	235	219	206	196	188
34,00 x 1,00	74	62	57	51	48	45	43	41
34,00 x 1,50	111	93	87	79	73	69	66	63
34,00 x 2,00	148	124	118	107	99	93	89	85
34,00 x 5,00	369	309	329	298	278	261	249	238
35,00 x 1,50	108	90	84	76	71	67	64	61
35,00 x 2,00	143	120	114	103	96	90	86	83
35,00 x 2,50	179	150	145	131	122	115	110	105
35,00 x 5,00	358	300	318	288	268	252	240	230
36,00 x 2,00	139	117	111	100	93	88	84	80
36,00 x 3,00	209	175	172	156	145	136	130	124
38,00 x 1,50	99	83	77	70	65	61	58	56
38,00 x 2,00	132	111	104	95	88	83	79	76
38,00 x 2,50	165	138	133	120	112	105	100	96

UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
38,00 x 3,00	198	166	162	147	136	128	122	117
38,00 x 4,00	264	221	223	202	188	177	169	162
38,00 x 5,00	330	276	288	261	243	229	218	209
38,10 x 1,24	82	68	63	57	53	50	48	46
38,10 x 1,65	109	91	85	77	72	67	64	62
38,10 x 3,40	224	187	185	168	156	147	140	134
40,00 x 1,00	63	53	48	44	41	38	36	35
40,00 x 1,50	94	79	73	66	62	58	55	53
40,00 x 2,00	125	105	99	90	83	78	75	72
40,00 x 2,50	157	131	125	114	106	100	95	91
40,00 x 3,00	188	158	153	139	129	121	116	111
40,00 x 4,00	251	210	210	191	177	167	159	152
40,00 x 5,00	314	263	272	246	229	216	205	197
41,00 x 4,00	245	205	205	185	173	162	155	148
42,16 x 1,65	98	82	76	69	64	61	58	55
42,16 x 2,77	165	138	132	120	112	105	100	96
42,16 x 3,56	212	177	174	158	147	138	132	126
42,16 x 4,85	289	242	247	224	208	196	187	179
42,16 x 6,35	378	316	339	307	286	269	256	245
42,40 x 2,00	118	99	93	84	78	74	70	67
42,40 x 2,60	154	129	123	111	104	98	93	89
42,40 x 3,20	189	158	154	140	130	122	116	112
42,40 x 4,05	240	201	200	181	169	159	151	145
43,00 x 1,50	88	73	68	61	57	54	51	49
44,50 x 1,50	85	71	65	59	55	52	49	47
44,50 x 2,00	113	94	88	80	75	70	67	64
44,50 x 2,50	141	118	112	101	94	89	85	81
44,50 x 3,00	169	142	136	123	115	108	103	99
45,00 x 1,00	56	47	43	39	36	34	32	31
48,26 x 1,65	86	72	66	60	56	53	50	48
48,26 x 2,77	144	121	115	104	97	91	87	83
48,26 x 3,68	191	160	156	141	131	124	118	113
48,26 x 5,08	264	221	223	202	188	177	169	162
48,26 x 7,14	371	311	331	300	280	263	251	240




DRUK-TEMPERATUUR TABEL °C IN BAR (NAADLOOS)

TABLE PRESSION-TEMPÉRATURE °C EN BAR (SANS SOUDURE)

Lasfactor x 0,8 voor gelaste buis

Facteur de soudure x 0,8 pour tube soudé



UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
48,30 x 2,00	104	87	81	73	68	64	61	59
48,30 x 2,60	135	113	107	97	90	85	81	78
48,30 x 2,90	151	126	120	109	101	95	91	87
48,30 x 3,20	166	139	134	121	113	106	101	97
48,30 x 4,05	210	176	173	157	146	137	131	125
50,00 x 1,00	50	42	38	35	32	30	29	28
50,00 x 1,50	75	63	58	53	49	46	44	42
50,00 x 2,00	100	84	78	71	66	62	59	57
50,00 x 5,00	251	210	210	191	177	167	159	152
50,00 x 5,50	276	231	234	212	198	186	177	170
50,80 x 1,24	61	51	47	42	40	37	35	34
50,80 x 1,65	81	68	63	57	53	50	48	46
50,80 x 3,40	168	141	135	122	114	107	102	98
50,80 x 1,50	74	62	57	52	48	45	43	41
50,80 x 2,00	99	83	77	70	65	61	58	56
50,80 x 2,50	123	103	97	88	82	77	74	71
51,00 x 2,50	123	103	79	88	82	77	73	70
51,00 x 2,90	143	119	113	103	96	90	86	82
52,00 x 1,00	48	40	37	33	31	29	28	27
52,00 x 1,50	72	61	56	50	47	44	42	40
53,00 x 1,50	71	59	55	49	46	43	41	40
54,00 x 2,00	93	78	72	65	61	57	55	52
57,00 x 1,50	66	55	51	46	43	40	38	37
57,00 x 2,00	88	74	68	62	58	54	52	49
57,00 x 2,50	110	92	86	78	73	68	65	62
57,00 x 2,90	128	107	101	91	85	80	76	73
57,00 x 5,00	220	184	182	165	153	144	137	132
60,30 x 2,00	83	70	64	58	54	51	49	47
60,30 x 2,60	108	91	85	77	71	67	64	61
60,30 x 2,90	121	101	95	86	80	75	72	69
60,30 x 3,60	150	125	119	108	101	95	90	87
60,30 x 4,50	187	157	152	138	128	121	115	110
60,33 x 1,65	69	57	53	48	44	42	40	38
60,33 x 2,77	115	96	90	82	76	72	68	66

UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
60,33 x 3,91	163	136	130	118	110	104	99	95
60,33 x 5,54	230	193	191	173	161	152	145	139
60,33 x 8,71	362	303	322	292	271	255	243	233
63,50 x 1,50	59	50	45	41	38	36	34	33
63,50 x 2,00	79	66	61	55	51	48	46	44
63,50 x 2,60	103	86	80	73	68	64	61	58
70,00 x 2,00	72	60	55	50	46	44	42	40
70,00 x 2,50	90	75	69	63	59	55	53	50
70,00 x 3,00	108	90	84	76	71	67	64	61
73,03 x 2,11	72	61	56	51	47	44	42	40
73,03 x 3,05	105	88	82	74	69	65	62	59
73,03 x 5,16	177	148	143	130	121	114	108	104
73,03 x 7,01	241	202	201	182	169	159	152	146
75,00 x 2,50	84	70	65	59	55	51	49	47
76,10 x 1,50	49	41	38	34	32	30	28	27
76,10 x 2,00	66	55	51	46	43	40	38	37
76,10 x 2,60	86	72	66	60	56	53	50	48
76,10 x 2,90	96	80	74	67	63	59	56	54
76,10 x 3,60	119	99	93	85	79	74	71	68
76,10 x 4,50	148	124	118	107	100	94	89	86
76,10 x 5,00	165	138	132	120	112	105	100	96
76,20 x 1,65	54	45	41	38	35	33	31	30
*83,00 x 1,50	36	30	28	25	23	22	21	20
*84,00 x 2,00	48	40	37	33	31	29	28	26
*85,00 x 2,50	59	49	45	41	38	36	34	33
*86,00 x 3,00	70	59	54	49	46	43	41	39
*88,90 x 2,00	45	38	34	31	29	27	26	25
88,90 x 2,30	65	54	50	45	42	39	38	36
88,90 x 2,60	73	61	56	51	48	45	43	41
*88,90 x 2,90	65	55	51	46	43	40	38	37
88,90 x 3,20	90	76	70	63	59	56	53	51
88,90 x 4,05	114	96	90	81	76	71	68	65
88,90 x 4,50	127	106	100	91	85	80	76	73
88,90 x 5,00	141	118	112	102	95	89	85	81




DRUK-TEMPERATUUR TABEL °C IN BAR (NAADLOOS)

TABLE PRESSION-TEMPÉRATURE °C EN BAR (SANS SOUDURE)

Lasfactor x 0,8 voor gelaste buis

Facteur de soudure x 0,8 pour tube soudé



UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
88,90 x 2,11	60	50	46	41	38	36	34	33
88,90 x 3,05	86	72	67	60	56	53	50	48
88,90 x 5,49	155	130	124	112	105	98	94	90
88,90 x 7,62	215	180	177	160	149	141	134	128
88,90 x 11,13	314	263	272	247	230	216	206	197
101,60 x 1,50	37	31	28	25	24	22	21	20
101,60 x 2,00	49	41	38	34	32	30	28	27
101,60 x 4,00	99	83	77	70	65	61	58	56
101,60 x 5,00	123	103	97	88	82	77	74	71
101,60 x 2,11	52	44	40	36	33	32	30	29
101,60 x 3,05	75	63	58	53	49	46	44	42
101,60 x 5,74	142	119	113	102	95	89	85	82
101,60 x 8,08	199	167	163	148	138	129	123	118
*103,00 x 1,50	29	24	22	20	19	18	17	16
*104,00 x 2,00	39	32	29	27	25	23	22	21
*105,00 x 2,50	48	40	37	33	31	29	28	26
106,00 x 2,70	64	53	49	44	41	39	37	35
*106,00 x 3,00	57	48	44	40	37	35	33	32
108,00 x 2,00	37	31	28	26	24	22	21	20
*108,00 x 3,00	56	47	43	39	36	34	32	31
108,00 x 4,00	93	78	72	65	61	57	55	52
108,00 x 5,00	116	97	91	83	77	72	69	66
114,30 x 2,11	46	39	35	32	30	28	27	26
114,30 x 3,05	67	56	51	47	43	41	39	37
114,30 x 6,02	132	111	105	95	88	83	79	76
114,30 x 8,56	188	157	153	138	129	121	115	111
114,30 x 13,49	296	248	254	230	214	202	192	184
*114,30 x 2,00	35	29	27	24	22	21	20	19
114,30 x 2,60	57	48	44	39	37	35	33	32
114,30 x 3,60	79	66	61	55	51	48	46	44
114,30 x 4,50	99	83	77	70	65	61	58	56
114,30 x 5,40	119	99	93	84	79	74	70	68
121,00 x 4,00	83	69	64	58	54	51	48	46
*128,00 x 1,50	24	20	18	16	15	14	13	13


UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
*129,00 x 2,00	31	26	24	21	20	19	18	17
*130,00 x 2,50	39	32	29	27	25	23	22	21
*131,00 x 3,00	46	38	35	32	30	28	27	25
*133,00 x 3,00	45	38	35	31	29	27	26	25
133,00 x 4,00	75	63	58	53	49	46	44	42
*139,70 x 2,00	29	24	22	20	18	17	16	16
*139,70 x 2,50	36	30	27	25	23	22	21	20
*139,70 x 3,00	43	36	33	30	28	26	25	24
*139,70 x 4,00	57	48	44	40	37	35	33	32
141,30 x 2,77	49	41	37	34	32	30	28	27
141,30 x 3,40	60	51	46	42	39	37	35	33
141,30 x 6,35	113	94	88	80	75	70	67	64
141,30 x 9,53	169	142	136	123	115	108	103	99
*153,00 x 1,50	20	16	15	13	12	12	11	11
*154,00 x 2,00	26	22	20	18	17	16	15	14
*155,00 x 2,50	32	27	25	22	21	19	19	18
*156,00 x 3,00	39	32	29	27	25	23	22	21
*158,00 x 4,00	51	43	39	35	33	31	29	28
*159,00 x 2,00	25	21	19	17	16	15	14	14
*159,00 x 3,00	38	32	29	26	24	23	22	21
159,00 x 4,50	71	59	55	49	46	43	41	40
168,28 x 2,77	41	35	31	28	26	25	24	23
168,28 x 3,40	51	42	39	35	33	31	29	28
168,28 x 7,11	106	89	83	75	70	66	63	60
168,28 x 10,97	164	137	131	119	111	104	99	95
*168,30 x 2,00	24	20	18	16	15	14	14	13
*168,30 x 2,50	30	25	23	20	19	18	17	16
*168,30 x 3,00	36	30	27	25	23	22	21	20
*168,30 x 4,00	48	40	36	33	31	29	28	26
*168,30 x 5,00	60	50	46	42	39	36	35	33
*179,00 x 2,00	22	19	17	15	14	13	13	12
*204,00 x 2,00	20	16	15	13	12	12	11	11
*205,00 x 2,50	24	20	18	17	16	15	14	13
*206,00 x 3,00	29	24	22	20	19	18	17	16



DRUK-TEMPERATUUR TABEL °C IN BAR (NAADLOOS) **TABLE PRESSION-TEMPÉRATURE °C EN BAR (SANS SOUDURE)**

Lasfactor x 0,8 voor gelaste buis

Facteur de soudure x 0,8 pour tube soudé



UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
*208,00 x 4,00	39	32	29	27	25	23	22	21
219,08 x 2,77	32	27	24	22	20	19	18	17
219,08 x 3,76	43	36	33	30	28	26	25	24
219,08 x 6,35	73	61	56	51	47	44	42	41
219,08 x 8,18	94	78	73	66	61	58	55	53
219,08 x 12,70	145	122	116	105	98	92	88	84
*219,10 x 2,00	18	15	14	12	12	11	10	10
*219,10 x 3,00	27	23	21	19	18	16	16	15
*254,00 x 2,00	16	13	12	11	12	9	9	9
*255,00 x 2,50	20	16	15	13	12	12	11	11
*256,00 x 3,00	24	20	18	16	15	14	13	13
*258,00 x 4,00	31	26	24	21	20	19	18	17
*273,00 x 2,00	15	12	11	10	9	9	8	8
*273,00 x 2,50	18	15	14	13	12	11	10	10
*273,00 x 3,00	22	18	17	15	14	13	13	12
*273,00 x 4,00	29	25	22	20	19	18	17	16
273,05 x 3,40	31	26	24	21	20	19	18	17
273,05 x 4,19	38	32	29	26	25	23	22	21
273,05 x 6,35	58	49	45	40	38	35	34	32
273,05 x 9,27	85	71	66	60	56	52	50	48
273,05 x 12,70	117	98	92	83	77	73	69	66
*304,00 x 2,00	13	11	10	9	8	8	7	7
*305,00 x 2,50	16	14	12	11	10	10	9	9
*306,00 x 3,00	20	16	15	13	12	12	11	11
*308,00 x 4,00	26	22	20	18	17	16	15	14
323,85 x 3,96	31	26	23	21	20	18	18	17
323,85 x 4,57	35	30	27	24	23	21	20	19
323,85 x 6,35	49	41	37	34	32	30	28	27
323,85 x 9,53	74	62	57	51	48	45	43	41
323,85 x 12,70	98	82	77	69	65	61	58	56
*323,90 x 2,00	12	10	9	8	8	7	7	7
*323,90 x 2,50	15	13	12	11	10	9	9	8
*323,90 x 3,00	19	16	14	13	12	11	11	10
*323,90 x 4,00	25	21	19	17	16	15	14	14
*355,00 x 2,50	14	12	11	10	9	8	8	8
355,60 x 3,96	28	23	21	19	18	17	16	15
355,60 x 4,78	34	28	25	23	21	20	19	18
355,60 x 7,92	56	47	43	39	36	34	32	31
355,60 x 9,53	67	56	52	47	44	41	39	37
355,60 x 12,70	90	75	69	63	59	55	53	50

UD x wand/paroi	20°	100°	150°	200°	250°	300°	350°	400°
*356,00 x 3,00	17	14	13	12	11	10	10	9
*358,00 x 4,00	22	19	17	15	14	13	13	12
*406,00 x 3,00	15	12	11	10	9	9	8	8
406,40 x 4,19	26	22	19	18	16	15	15	14
406,40 x 4,78	30	25	22	20	19	18	17	16
406,40 x 7,92	49	41	37	34	31	30	28	27
406,40 x 9,53	59	49	45	41	38	36	34	33
404,60 x 12,70	78	66	60	55	51	48	46	44
*408,00 x 4,00	20	16	15	13	12	12	11	11
*456,00 x 3,00	13	11	10	9	8	8	7	7
457,20 x 4,19	23	19	17	16	15	14	13	13
457,20 x 4,78	26	22	20	18	17	16	15	14
457,20 x 7,92	43	36	33	30	28	26	25	24
457,20 x 9,53	52	44	40	36	34	32	30	29
457,20 x 12,70	70	58	54	49	45	42	40	39
*458,00 x 4,00	18	15	13	12	11	10	10	10
*506,00 x 3,00	12	10	9	8	8	7	7	6
*508,00 x 4,00	16	13	12	11	10	9	9	9
*508,00 x 4,78	24	20	18	16	15	14	13	13
508,00 x 5,54	27	23	21	19	17	16	16	15
508,00 x 9,53	47	39	36	32	30	28	27	26
508,00 x 12,70	63	53	48	44	41	38	36	35
558,80 x 4,78	21	18	16	15	14	13	12	12
558,80 x 5,54	25	21	19	17	16	15	14	14
558,80 x 9,53	43	36	32	29	27	26	25	24
558,80 x 12,70	57	48	44	39	37	35	33	32
*606,00 x 3,00	10	8	7	7	6	6	6	5
*608,00 x 4,00	13	11	10	9	8	8	7	7
609,60 x 5,54	23	19	17	16	14	14	13	12
609,60 x 6,35	26	22	20	18	17	16	15	14
609,60 x 9,53	39	33	30	27	25	24	22	22
609,60 x 12,70	52	44	40	36	34	32	30	29